



9650 UHS Hardener

UHS and HS hardeners

Quality UHS acrylic hardener for 9600 X-Cure clearcoat.

Based on high-quality isocyanates and filled with nitrogen gas to extend the shelf life.

Mixing ratio

Mixing ratio of a certain product is primarily written on the product label and Technical Data Sheet (TDS) in volume ratio while the amount of thinner is expressed in percentage (vol. %) relative to Component A.

In some technical data sheets tables with weight mixing ratios are also stated.

Mixing ratio in which a certain hardener should be used with Component A must be respected every time. Not respecting the appropriate mixing ratio may result in different defects that could be observed immediately (influence on: drying time, application, orange peel ...) or later during the ageing of the coating (poor adhesion, loss of gloss, cracking ...).

Shelf life

Min. 12 months from the production date under normal storage conditions and unopened can.

Additional information

FOR PROFESSIONAL USE ONLY!

Always read the instructions.

IMPORTANT: This product contains hazardous substances at work so it is necessary to always use/wear appropriate protective equipment. For further instructions, check the label on the product and safety data sheet. A person who uses the product for any purpose other than recommended in this technical data sheet, acts at his own risk. It is the user's responsibility to take all necessary steps to fulfil the local legislation.

Materials described are designed for application by professional, trained personnel using proper equipment and are not intended for sale to the general public.

Information and methods described are based on the best information and practices known to us and serve merely as guidelines for optimal use, without liability to performance, results or fitness for any intended use. We do not accept any responsibility for the behaviour of the product or damage arising from the use of the product. Before using the product, the user must check if this is the latest version.

All products mentioned in this data sheet are trademarks owned by Silco.



Technical data sheet

2024-2

9650 UHS Hardener