

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: 5504 Universal Thinner

Creation date: 21.09.2021, Revision: 03.06.2024, Version: 2.0

## Section 1: Identification of the substance/mixture and of the company/undertaking

---

### 1.1 Product identifier

---

**Product name**

5504 Universal Thinner

**UFI:**

TJ7G-DOGP-300V-P947



<https://my.chemius.net/p/TL3n39/en/pd/en>

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

---

**Relevant identified uses**

No information.

**Uses advised against**

No information.

### 1.3 Details of the supplier of the safety data sheet

---

**Supplier**

SILCO d.o.o.  
Sentrupert 5a  
3303 Gomilsko, Slovenia  
+386 3 703 3180  
msds@silco.si

### 1.4 Emergency Telephone Number

---

**Emergency**

111

**Supplier**

112

## Section 2: Hazards identification

---

### 2.1 Classification of the substance or mixture

---

**Classification according to Regulation (EC) No 1272/2008 (CLP)**

Flam. Liq. 3; H226 Flammable liquid and vapour.

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

Skin Irrit. 2; H315 Causes skin irritation.

STOT SE 3; H336 May cause drowsiness or dizziness.

Repr. 2; H361d Suspected of damaging the unborn child.

STOT RE 2; H373 May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

**silco**<sup>®</sup>

Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

## 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]**



**Signal word: DANGER**

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with national regulation.

**Contains:**

- n-butyl acetate
- toluene
- acetone

## 2.3 Other hazards

**PBT/vPvB**

No information.

**Endocrine disrupting properties**

The product does not contain substances with the potential for endocrine disorders.

**Additional information**

No information.

## Section 3: Composition/information on ingredients

### 3.1 Substances

For mixtures see 3.2.

### 3.2 Mixtures

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	CAS EC Index Reach	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Concentration Limits
<b>n-butyl acetate</b>	123-86-4 204-658-1 607-025-00-1	60-70	Flam. Liq. 3; H226 STOT SE 3; H336 EUH066	/
<b>xylene</b>	1330-20-7 215-535-7 601-022-00-9	15-20	Flam. Liq. 3; H226 Acute Tox. 4; H312 Skin Irrit. 2; H315 Acute Tox. 4; H332	/
<b>toluene</b>	108-88-3 203-625-9 601-021-00-3	10-15	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Repr. 2; H361d STOT RE 2; H373	/
<b>acetone</b>	67-64-1 200-662-2 606-001-00-8	1-2.5	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	/

## Notes for substances

**C** Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

## Section 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. When it is suspected, that there may still be harmful vapours/fumes present in the air, respiratory protection (mask; self contained breathing apparatus) must be used. Wash contaminated clothing with water before removing or use gloves.

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. In case of unconsciousness bring patient into stable side position and seek medical attention. If breathing is irregular or respiratory arrest occurs provide artificial respiration. Keep at rest in a position comfortable for breathing. Seek medical help immediately.

#### Following skin contact

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. Consult a physician.

**Following eye contact**

Immediately flush eyes with running water, keeping eyelids apart. Seek medical help.

**Following ingestion**

Do not induce vomiting! Aspiration hazard if swallowed. Can enter lungs and cause damage. If vomiting occurs, the patient should hold the head lower than the hips, because it reduces the possibility of aspiration. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Immediately consult a doctor. Show the physician the safety data sheet or label.

## 4.2 Most important symptoms and effects, both acute and delayed

---

**Following inhalation**

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation. Vapours may cause drowsiness and dizziness.

**Following skin contact**

Itching, redness, pain.

**Following eye contact**

Contact with eyes can cause irritation (redness, tearing, pain).

**Following ingestion**

May cause nausea/vomiting and diarrhea. May cause abdominal discomfort. Irritates mucous membranes in the mouth, throat, esophagus and in gastrointestinal area. Aspiration into the lungs causes coughing, shortness of breath and may lead to chemical pneumonia.

## 4.3 Indication of any immediate medical attention and special treatment needed

---

Treat symptomatically. After the product has been ingested vomiting can cause aspiration into the lungs. Because of the risk of aspiration, induction of vomiting and gastric lavage should be avoided.

## Section 5: Firefighting measures

---

### 5.1 Extinguishing media

---

**Suitable extinguishing media**

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

**Unsuitable extinguishing media**

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

---

**Hazardous combustion products**

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

### 5.3 Advice for firefighters

---

**Protective actions**

In case of fire or heating do not breathe fumes/vapours. No action shall be taken involving any personal risk or without suitable training. Prolonged heating can cause an explosion. Vapours

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

can form explosive mixtures with air. Cool containers at risk with water spray. If possible remove containers from endangered area.

### **Special protective equipment for fire-fighters**

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (BS EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (BS EN 137).

### **Additional information**

No information.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

---

### **6.1 Personal precautions, protective equipment and emergency procedures**

---

#### **For non-emergency personnel**

#### **Protective equipment**

No information.

#### **Precautionary measures**

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

#### **Emergency procedures**

No action shall be taken involving any personal risk or without suitable training. Prevent access to unprotected personnel. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

#### **For emergency responders**

Use personal protective equipment.

### **6.2 Environmental precautions**

---

Do not allow product to reach water/drains/sewage systems or permeable soil. In case of release into the environment, inform the relevant authorities.

### **6.3 Methods and material for containment and cleaning up**

---

#### **For containment**

Stem the spill if this does not pose risks.

#### **For cleaning up**

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Use only explosion-proof instruments and equipment. Use spark-proof tools. Prevent release into the sewer, water, basements or confined areas. Ventilate the premises. Clean contaminated area with plenty of water.

#### **Other information**

No information.

### **6.4 Reference to other sections**

---

See also sections 8 and 13.

## **Section 7: Handling and storage**

---

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

## 7.1 Precautions for safe handling

---

### Protective measures

#### Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking. Use spark-proof tools. Take precautionary measures against static discharges. Vapours are heavier than air and spread along the floor. They form explosive mixtures with air.

#### Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

#### Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

#### Other measures

No information.

#### Advice on general occupational hygiene

Use good personal hygiene practices - wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8. Avoid exposure - obtain special instructions before using.

## 7.2 Conditions for safe storage, including any incompatibilities

---

### Technical measures and storage conditions

Keep in a cool, dry and well ventilated place. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising substances. Keep away from sources of ignition - no smoking.

### Packaging materials

Store only in original container.

### Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

### Storage temperature

No information.

### Storage class

No information.

### Further information on storage conditions

No information.

## 7.3 Specific end use(s)

---

### Recommendations

No information.

### Industrial sector specific solutions

No information.

## Section 8: Exposure controls/personal protection

---

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

## 8.1 Control parameters

### Occupational Exposure limit values

Name	mg/m <sup>3</sup>	ml/m <sup>3</sup>	Short-term value mg/m <sup>3</sup>	Short-term value ml/m <sup>3</sup>	Remark	Biological Tolerance Values
<b>Xylene, o-,m-,p - or mixed isomers (1330-20-7)</b>	220	50	441	100	Sk, BMGV	650 mmol methyl hippuric acid/mol creatinine in urine - Post shift
<b>1-Methoxypropyl acetate (108-65-6)</b>	274	50	548	100	Sk	/
<b>Acetone (67-64-1)</b>	1210	500	3620	1500	/	/
<b>Butyl acetate (123-86-4)</b>	724	150	966	200	/	/
<b>Methanol (67-56-1)</b>	266	200	333	250	Sk	/
<b>Toluene (108-88-3)</b>	191	50	384	100	Sk	/

### Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

### DNEL/DMEL values

#### For product

No information.

#### For components

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	Type	Exposure route	exp. frequency	Remark	Value
<b>toluene</b>	Worker	inhalation	long term systemic effects	/	192 mg/m <sup>3</sup>
<b>toluene</b>	Worker	inhalation	short term systemic effects	/	384 mg/m <sup>3</sup>
<b>toluene</b>	Worker	inhalation	long term local effects	/	192 mg/m <sup>3</sup>
<b>toluene</b>	Worker	inhalation	short term local effects	/	384 mg/m <sup>3</sup>
<b>toluene</b>	Worker	dermal	long term systemic effects	/	384 mg/kg bw/day
<b>toluene</b>	Consumer	inhalation	long term systemic effects	/	56.5 mg/m <sup>3</sup>
<b>toluene</b>	Consumer	inhalation	short term systemic effects	/	226 mg/m <sup>3</sup>
<b>toluene</b>	Consumer	inhalation	long term local effects	/	56.5 mg/m <sup>3</sup>
<b>toluene</b>	Consumer	inhalation	short term local effects	/	226 mg/m <sup>3</sup>
<b>toluene</b>	Consumer	dermal	long term systemic effects	/	226 mg/kg bw/day
<b>toluene</b>	Consumer	oral	long term systemic effects	/	8.13 mg/kg bw/day
<b>xylene</b>	Worker	inhalation	long term systemic effects	/	221 mg/m <sup>3</sup>
<b>xylene</b>	Worker	inhalation	short term systemic effects	/	442 mg/m <sup>3</sup>
<b>xylene</b>	Worker	inhalation	long term local effects	/	221 mg/m <sup>3</sup>
<b>xylene</b>	Worker	inhalation	short term local effects	/	442 mg/m <sup>3</sup>
<b>xylene</b>	Worker	dermal	long term systemic effects	/	212 mg/kg bw/day
<b>xylene</b>	Consumer	inhalation	long term systemic effects	/	65.3 mg/m <sup>3</sup>
<b>xylene</b>	Consumer	inhalation	short term systemic effects	/	260 mg/m <sup>3</sup>
<b>xylene</b>	Consumer	inhalation	long term local effects	/	65.3 mg/m <sup>3</sup>
<b>xylene</b>	Consumer	inhalation	short term local effects	/	260 mg/m <sup>3</sup>

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	Type	Exposure route	exp. frequency	Remark	Value
<b>xylene</b>	Consumer	dermal	long term systemic effects	/	125 mg/kg bw/day
<b>xylene</b>	Consumer	oral	long term systemic effects	/	12.5 mg/kg bw/day
<b>acetone</b>	Worker	inhalation	long term systemic effects	/	1210 mg/m <sup>3</sup>
<b>acetone</b>	Worker	inhalation	short term local effects	/	2420 mg/m <sup>3</sup>
<b>acetone</b>	Worker	dermal	long term systemic effects	/	186 mg/kg bw/day
<b>acetone</b>	Consumer	inhalation	long term systemic effects	/	200 mg/m <sup>3</sup>
<b>acetone</b>	Consumer	dermal	long term systemic effects	/	62 mg/kg bw/day
<b>acetone</b>	Consumer	oral	long term systemic effects	/	62 mg/kg bw/day

## PNEC values

### For product

No information.

### For components

Name	Exposure route	Remark	Value
<b>toluene</b>	fresh water	/	0.68 mg/L
<b>toluene</b>	water, intermittent release	/	0.68 mg/L
<b>toluene</b>	marine water	/	0.68 mg/L
<b>toluene</b>	water treatment plant	/	13.61 mg/L
<b>toluene</b>	fresh water sediment	dry weight	16.39 mg/kg
<b>toluene</b>	marine water sediment	dry weight	16.39 mg/kg
<b>toluene</b>	soil	dry weight	2.89 mg/kg
<b>xylene</b>	fresh water	/	0.327 mg/L
<b>xylene</b>	water, intermittent release	/	0.327 mg/L
<b>xylene</b>	marine water	/	0.327 mg/L
<b>xylene</b>	water treatment plant	/	6.58 mg/L
<b>xylene</b>	fresh water sediment	dry weight	12.46 mg/kg
<b>xylene</b>	marine water sediment	dry weight	12.46 mg/kg
<b>xylene</b>	soil	dry weight	2.31 mg/kg
<b>acetone</b>	fresh water	/	10.6 mg/L

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	Exposure route	Remark	Value
<b>acetone</b>	water, intermittent release	/	21 mg/L
<b>acetone</b>	marine water	/	1.06 mg/L
<b>acetone</b>	water treatment plant	/	100 mg/L
<b>acetone</b>	fresh water sediment	dry weight	30.4 mg/kg
<b>acetone</b>	marine water sediment	dry weight	3.04 mg/kg
<b>acetone</b>	soil	dry weight	29.5 mg/kg

## 8.2 Exposure controls

### Appropriate engineering control

#### Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothes. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols.

#### Structural measures to prevent exposure

No information.

#### Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse.

#### Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

### Personal protective equipment

#### Eye and face protection

Safety glasses with side protection (BS EN ISO 16321-1:2022).

#### Hand protection

Protective gloves (EN ISO 374-1:2016). Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The penetration time is determined by the protective glove manufacturer and must be observed.

### Appropriate materials

#### Skin protection

Protective antistatic clothing EN 1149 (1:2006, 2:1998 and 3:2004, 5:2008), protective antistatic shoes (EN 20345:2012). At high risk of skin exposure chemical suits (BS EN 13034:2005+A1:2009) and boots may be required (BS EN ISO 20345:2022+A1:2024).

#### Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387). For dust/gas/ vapor concentrations above the applicable filter limit, in case of oxygen concentrations below 17% or in vague conditions, autonomous self-contained breathing apparatus should be used, according to standard BS EN 137, BS EN 138.

#### Thermal hazards

No information.

### Environmental exposure controls

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: 5504 Universal Thinner

Creation date: 21.09.2021, Revision: 03.06.2024, Version: 2.0

## Substance/mixture related measures to prevent exposure

No information.

## Instruction measures to prevent exposure

No information.

## Organisational measures to prevent exposure

No information.

## Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

---

#### Important health, safety and environmental information

Physical state	liquid
Shape	No information.
Colour	colourless
Odour	No information.
Odour threshold	No information.
Melting/freezing point or softening point	No information.
Boiling point or initial boiling point and boiling range	No information.
Flammability	No information.
Lower and upper explosion limit	No information.
Flash point	> 23 °C
Auto-ignition temperature	No information.
Decomposition temperature	No information.
pH	7 at 20 °C, conc. 100 %
Viscosity	No information.
Solubility	No information.
Partition coefficient n-octanol/water (log value)	No information.
Vapour pressure	No information.
Density	900 g/ml at 20 °C
Relative vapour/gas density	No information.
Particle characteristics	No information.

### 9.2 Other information

---

#### Information with regard to physical hazard classes

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

No information.

## Other safety characteristics

**Weight organic solvents** 900 g/l

## Section 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No information.

### 10.2 Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours and air can form flammable or explosive mixtures.

### 10.4 Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

### 10.5 Incompatible materials

Oxidants.

### 10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

## Section 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### (a) Acute toxicity

##### For components

Name	Exposure route	Type	Species	Time	Value	Method	Remark
<b>toluene</b>	oral	LD <sub>50</sub>	rat	/	5580 mg/kg	/	/
<b>toluene</b>	dermal	LD <sub>50</sub>	rabbit	/	12124 mg/kg	/	/
<b>toluene</b>	inhalation	LC <sub>50</sub>	rat	4 h	28.1 mg/l	/	vapour
<b>xylene</b>	oral	LD <sub>50</sub>	rat	/	> 3523 mg/kg	/	/

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	Exposure route	Type	Species	Time	Value	Method	Remark
<b>xylene</b>	dermal	LD <sub>50</sub>	rabbit	/	4200 mg/kg	/	/
<b>xylene</b>	inhalation (vapours)	LC <sub>50</sub>	rat	4 h	29 mg/l	/	/
<b>methanol</b>	dermal	LD <sub>50</sub>	rabbit	/	ca. 17100 mg/kg	/	/
<b>1-methoxy-2-propylacetate</b>	oral	LD <sub>50</sub>	rat	/	8530 mg/kg	/	/
<b>1-methoxy-2-propylacetate</b>	inhalation	LC <sub>50</sub>	rat	4 h	35.7 mg/l	/	vapour
<b>1-methoxy-2-propylacetate</b>	dermal	LD <sub>50</sub>	rat	/	5000 mg/kg	/	/

## Additional information

The product is not classified as acutely toxic.

## (b) Skin corrosion/irritation

### For components

Name	Species	Time	result	Method	Remark
<b>toluene</b>	/	/	Irritating.	/	/

## Additional information

The product is not classified as irritating to skin and eyes. Causes skin irritation.

## (c) Serious eye damage/irritation

### For components

Name	Exposure route	Species	Time	result	Method	Remark
<b>toluene</b>	/	/	/	Conjunctivitis and irritation of cornea.	/	/
<b>1-methoxy-2-propylacetate</b>	/	/	/	May cause irritation.	/	/

## (d) Respiratory or skin sensitisation

No information.

## Additional information

The product is not classified as sensitising.

## (e) (Germ cell) mutagenicity

No information.

## (f) Carcinogenicity

No information.

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

## (g) Reproductive toxicity

No information.

## Summary of evaluation of the CMR properties

Suspected of damaging the unborn child. The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

## (h) STOT-single exposure

### For components

Name	Exposure route	Type	Species	Time	Exposure	organ	Value	result	Method	Rem
<b>toluene</b>	inhalation	/	/	/	/	/	/	Irritates respiratory system.	/	/

### Additional information

May cause drowsiness or dizziness. STOT SE (single exposure): Not classified.

## (i) STOT-repeated exposure

### For components

Name	Exposure route	Type	Species	Time	Exposure	organ	Value	result	Method	Rem
<b>acetone</b>	dermal	-	/	/	/	/	/	Prolonged exposure causes skin irritation.	/	/

### Additional information

May cause damage to organs through prolonged or repeated exposure. STOT RE (repeated exposure): Not classified.

## (j) Aspiration hazard

No information.

### Additional information

May be fatal if swallowed and enters airways. Aspiration hazard: Not classified.

## Symptoms related to the physical, chemical and toxicological characteristics

No information.

## Interactive effects

No information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

### Other information

No information.

## Section 12: Ecological information

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

## 12.1 Toxicity

### Acute (short-term) toxicity

#### For components

Name	Type	Value	Exposure time	Species	organism	Method	Remark
<b>toluene</b>	LC <sub>50</sub>	7.63 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	/	/
<b>toluene</b>	EC <sub>50</sub>	6 mg/L	48 h	daphnia	<i>Daphnia magna</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	13.4 mg/L	96 h	fish	<i>Pimephales promelas</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	13.1 - 16.5 mg/L	96 h	fish	<i>Lepomis macrochirus</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	2661 - 4093 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	19 mg/L	96 h	fish	<i>Lepomis macrochirus</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	30.26 - 40.75 mg/L	96 h	fish	<i>Poecilia reticulata</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	23.53 - 29.97 mg/L	96 h	fish	<i>Pimephales promelas</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	7711 - 9591 mg/L	96 h	fish	<i>Lepomis macrochirus</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	780 mg/L	96 h	fish	<i>Cyprinus carpio</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	> 780 mg/L	96 h	fish	<i>Cyprinus carpio</i>	/	/
<b>xylene</b>	LC <sub>50</sub>	13.5 - 17.3 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	/	/
<b>xylene</b>	EC <sub>50</sub>	3.82 mg/L	48 h	daphnia	/	/	/

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	Type	Value	Exposure time	Species	organism	Method	Remark
<b>methanol</b>	LC <sub>50</sub>	15400 mg/L	96 h	fish	<i>Lepomis macrochirus</i>	EPA-660 / 3-75-009 Translation required (216615)	/
<b>methanol</b>	EC <sub>50</sub>	22200 mg/L	48 h	crustacea	<i>Daphnia magna</i>	OECD 202	/
<b>methanol</b>	EC <sub>50</sub>	ca. 22000 mg/L	96 h	algae	<i>Pseudokirchneriella subcapitata</i>	OECD 201	/
<b>1-methoxy-2-propylacetate</b>	LC <sub>50</sub>	100 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	/	/
<b>1-methoxy-2-propylacetate</b>	EC <sub>50</sub>	500 mg/L	48 h	crustacea	/	/	/

## Chronic (long-term) toxicity

No information.

## 12.2 Persistence and degradability

### Abiotic degradation, physical- and photo-chemical elimination

No information.

### Biodegradation

#### For components

Name	Type	Rate	Time	Evaluation	Method	Remark
<b>methanol</b>	BOD	95 %	20 days	readily biodegradable	/	/
<b>acetone</b>	-	/	/	readily biodegradable	/	/

## 12.3 Bioaccumulative potential

### Partition coefficient n-octanol/water (log value)

#### For components

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

Name	Value	Temperature °C	pH	Concentration	Method
<b>methanol</b>	-0.77	/	/	/	/
<b>acetone</b>	-0.23	/	/	/	/

## Bioconcentration factor (BCF)

### For components

Name	Species	organism	Value	Duration	Evaluation	Method	Remark
<b>acetone</b>	BCF	/	3	/	/	/	/
<b>1-methoxy-2-propylacetate</b>	organism	/	0.43	/	/	/	/

## 12.4 Mobility in soil

### Known or predicted distribution to environmental compartments

No information.

### Surface tension

No information.

### Adsorption/Desorption

No information.

## 12.5 Results of PBT and vPvB assessment

No evaluation.

## 12.6 Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

## 12.7 Other adverse effects

No information.

## 12.8 Additional information

### For product

Product is not classified as hazardous for environment. Do not allow to reach ground water, water courses or sewage system.

### For components

#### toluene

Chemical Oxygen Demand (COD) 0,7 g/g

#### 1-methoxy-2-propylacetate

Water hazard class 1 (Self-assessment): slightly hazardous for water

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: 5504 Universal Thinner

Creation date: 21.09.2021, Revision: 03.06.2024, Version: 2.0

## Section 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product / Packaging disposal

##### Waste chemical

Do not allow product to reach drains/sewage systems. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

##### Waste codes / waste designations according to LoW

No information.

##### Packaging

Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. Uncleaned containers should not be perforated, cut or welded. Empty containers represent a fire hazard as they may contain flammable product residues and vapours.

##### Waste codes / waste designations according to LoW

No information.

##### Waste treatment-relevant information

No information.

##### Sewage disposal-relevant information

No information.

##### Other disposal recommendations

No information.

## Section 14: Transport information

ADR/RID	IMDG	IATA	ADN
<b>14.1 UN number or ID number</b>			
UN 1263	UN 1263	UN 1263	UN 1263
<b>14.2 UN proper shipping name</b>			
PAINT RELATED MATERIAL	PAINT RELATED MATERIAL	PAINT RELATED MATERIAL	PAINT RELATED MATERIAL
<b>14.3 Transport hazard class(es)</b>			
3	3	3	3
			

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

ADR/RID	IMDG	IATA	ADN
<b>14.4 Packing group</b>			
III	III	III	III
<b>14.5 Environmental hazards</b>			
NO	NO	NO	NO
<b>14.6 Special precautions for user</b>			
Limited quantities 5 L Special provisions 163, 367, 650 Packing Instructions P001, IBC03, LP01, R001 Special packing provisions PP1 Transport category 3 Tunnel restriction code (D/E) Classification code F1	Limited quantities 5 L EmS F-E, <u>S-E</u> Flash point 23 °C	Limited Quantity, Packing Instructions (Ltd Qty, Pkg Inst) Y344 Limited Quantity, Maximum Net Quantity/Package (Ltd Qty, Max Net Qty/Pkg) 10 L Packing Instructions (Pkg Inst) 355 Maximum Net Quantity/Package (Max Net Qty/Pkg) 25 L Cargo Aircraft Only, Packing Instructions (CAO, Pkg Inst) 366 Special provisions A3, A72, A192 ERG code 3L	Limited quantities 5 L
<b>14.7 Maritime transport in bulk according to IMO instruments</b>			
	Goods may not be carried in bulk in bulk containers, containers or vehicles.		

## Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

## **substance or mixture**

---

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

## **Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)**

not applicable

## **Ingredients according to Regulation (EC) No 648/2004 on detergents**

No information.

## **Special instructions**

Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

## **15.2 Chemical Safety Assessment**

---

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **Section 16: Other information**

---

### **Indication of changes**

2.2 Label elements 2.3 Other hazards 4.1 Description of first aid measures 4.3 Indication of any immediate medical attention and special treatment needed 6.2 Environmental precautions 6.3 Methods and material for containment and cleaning up 8.1 Control parameters 8.2 Exposure controls 9.1 Information on basic physical and chemical properties 9.2 Other information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 12.1 Toxicity 12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.6 Endocrine disrupting properties 12.7 Other adverse effects 14. Transport information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Key literature references and sources for data**

No information.

### **Abbreviations and acronyms**

ATE - Acute Toxicity Estimate  
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
CEN - European Committee for Standardisation  
C&L - Classification and Labelling  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
CAS# - Chemical Abstracts Service number  
CMR - Carcinogen, Mutagen, or Reproductive Toxicant  
CSA - Chemical Safety Assessment  
CSR - Chemical Safety Report  
DMEL - Derived Minimal Effect Level  
DNEL - Derived No Effect Level  
DPD - Dangerous Preparations Directive 1999/45/EC  
DSD - Dangerous Substances Directive 67/548/EEC

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

DU - Downstream User  
EC - European Community  
ECHA - European Chemicals Agency  
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)  
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)  
EEC - European Economic Community  
EINECS - European Inventory of Existing Commercial Substances  
ELINCS - European List of notified Chemical Substances  
EN - European Standard  
EQS - Environmental Quality Standard  
EU - European Union  
Euphrac - European Phrase Catalogue  
EWC - European Waste Catalogue (replaced by LoW - see below)  
GES - Generic Exposure Scenario  
GHS - Globally Harmonized System  
IATA - International Air Transport Association  
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG - International Maritime Dangerous Goods  
IMSBC - International Maritime Solid Bulk Cargoes  
IT - Information Technology  
IUCLID - International Uniform Chemical Information Database  
IUPAC - International Union for Pure Applied Chemistry  
JRC - Joint Research Centre  
Kow - octanol-water partition coefficient  
LC50 - Lethal Concentration to 50 % of a test population  
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)  
LE - Legal Entity  
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)  
LR - Lead Registrant  
M/I - Manufacturer / Importer  
MS - Member States  
MSDS - Material Safety Data Sheet  
OC - Operational Conditions  
OECD - Organization for Economic Co-operation and Development  
OEL - Occupational Exposure Limit  
OJ - Official Journal  
OR - Only Representative  
OSHA - European Agency for Safety and Health at work  
PBT - Persistent, Bioaccumulative and Toxic substance  
PEC - Predicted Effect Concentration  
PNEC(s) - Predicted No Effect Concentration(s)  
PPE - Personal Protection Equipment  
(Q)SAR - Qualitative Structure Activity Relationship  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
RIP - REACH Implementation Project  
RMM - Risk Management Measure  
SCBA - Self-Contained Breathing Apparatus  
SDS - Safety data sheet  
SIEF - Substance Information Exchange Forum  
SME - Small and Medium sized Enterprises  
STOT - Specific Target Organ Toxicity  
(STOT) RE - Repeated Exposure

# SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **5504 Universal Thinner**

Creation date: **21.09.2021**, Revision: **03.06.2024**, Version: **2.0**

(STOT)SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

## **List of relevant H phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.