

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name

6075 Fade-Thinner Spray

UFI:

YJ1A-V2TY-SN53-RGR1



<https://my.chemius.net/p/YnngxJ/en/pd/en>

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

No information.

Uses advised against

No information.

1.3 Details of the supplier of the safety data sheet

Supplier

SILCO d.o.o.
Sentrupert 5a
3303 Gomilsko, Slovenia
+386 3 703 3180
msds@silco.si

1.4 Emergency Telephone Number

Emergency

111

Supplier

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Gas 1; H220 Extremely flammable gas.
Eye Irrit. 2; H319 Causes serious eye irritation.
STOT SE 3; H336 May cause drowsiness or dizziness.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco[®]

Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)



Signal word: DANGER

H220 Extremely flammable gas.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P262 Do not get in eyes, on skin, or on clothing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with national regulation.

Contains:

ethyl acetate

n-butyl acetate

2.3 Other hazards

PBT/vPvB

No information.

Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

Additional information

No information.

Section 3: Composition/information on ingredients

3.1 Substances

For mixtures see 3.2.

3.2 Mixtures

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Name	CAS EC Index REACH	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Concentration Limits
dimethyl ether	115-10-6 204-065-8 603-019-00-8	50-60	Flam. Gas 1; H220	/
ethyl acetate	141-78-6 205-500-4 607-022-00-5	20-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	/
cyclohexanone	108-94-1 203-631-1 606-010-00-7	10-15	Flam. Liq. 3; H226 Acute Tox. 4; H332	/
n-butyl acetate	123-86-4 204-658-1 607-025-00-1	2.5-5	Flam. Liq. 3; H226 STOT SE 3; H336 EUH066	/
methyl amyl ketone	110-43-0 203-767-1 606-024-00-3	1-2.5	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332	/

Section 4: First aid measures

4.1 Description of first aid measures

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician.

Following inhalation

Remove patient to fresh air - move out of dangerous area. Obtain professional medical help!

Following skin contact

Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. If symptoms develop and persist, seek medical attention.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. Consult a physician! Show the physician the safety data sheet or label.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation

Vapours may cause drowsiness and dizziness.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Following skin contact

No information.

Following eye contact

Redness, tearing, pain.

Following ingestion

Irritates mucous membranes in the mouth, throat, esophagus and in gastrointestinal area.

4.3 Indication of any immediate medical attention and special treatment needed

No information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

No information.

5.3 Advice for firefighters

Protective actions

Cool containers at risk with water spray. If possible remove containers from endangered area.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (BS EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (BS EN 137).

Additional information

No information.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

No information.

Precautionary measures

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

Emergency procedures

No information.

For emergency responders

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

No information.

6.2 Environmental precautions

In case of release into the environment, inform the relevant authorities.

6.3 Methods and material for containment and cleaning up

For containment

No information.

For cleaning up

No information.

Other information

No information.

6.4 Reference to other sections

See also sections 8 and 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking. Use spark-proof tools. Take precautionary measures against static discharges.

Measures to prevent aerosol and dust generation

No information.

Measures to protect the environment

No information.

Other measures

No information.

Advice on general occupational hygiene

Use good personal hygiene practices - wash hands at breaks and when done working with material. Do not eat, drink or smoke while working.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs.

Packaging materials

No information.

Requirements for storage rooms and vessels

No information.

Storage temperature

No information.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Storage class

No information.

Further information on storage conditions

No information.

7.3 Specific end use(s)

Recommendations

No information.

Industrial sector specific solutions

No information.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

Name	mg/m ³	ml/m ³	Short-term value mg/m ³	Short-term value ml/m ³	Remark	Biological Tolerance Values
Cyclohexanone (108-94-1)	41	10	82	20	Sk, BMGV	2 mmol cyclohexanol/ mol creatinine in urine - Post shift
Butyl acetate (123-86-4)	724	150	966	200	/	/
Dimethyl ether (115-10-6)	766	400	958	500	/	/
Ethyl acetate (141-78-6)	734	200	1468	400	/	/
Heptan-2-one (110-43-0)	237	50	475	100	Sk	/

Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

DNEL/DMEL values

For product

No information.

For components

Name	Type	Exposure route	exp. frequency	Remark	Value
dimethyl ether	Worker	inhalation	long term systemic effects	/	1894 mg/m ³
dimethyl ether	Consumer	inhalation	long term systemic effects	/	471 mg/m ³
ethyl acetate	Worker	inhalation	long term systemic effects	/	734 mg/m ³
ethyl acetate	Worker	inhalation	short term systemic effects	/	1468 mg/m ³
ethyl acetate	Worker	inhalation	long term local effects	/	734 mg/m ³
ethyl acetate	Worker	inhalation	short term local effects	/	1468 mg/m ³
ethyl acetate	Worker	dermal	long term systemic effects	/	63 mg/kg bw/day
ethyl acetate	Consumer	inhalation	long term systemic effects	/	367 mg/m ³
ethyl acetate	Consumer	inhalation	short term systemic effects	/	734 mg/m ³
ethyl acetate	Consumer	inhalation	long term local effects	/	367 mg/m ³
ethyl acetate	Consumer	inhalation	short term local effects	/	734 mg/m ³
ethyl acetate	Consumer	dermal	long term systemic effects	/	37 mg/kg bw/day
ethyl acetate	Consumer	oral	long term systemic effects	/	4.5 mg/kg bw/day
cyclohexanone	Worker	inhalation	long term systemic effects	/	40 mg/m ³
cyclohexanone	Worker	inhalation	short term systemic effects	/	80 mg/m ³
cyclohexanone	Worker	inhalation	long term local effects	/	40 mg/m ³
cyclohexanone	Worker	inhalation	short term local effects	/	80 mg/m ³

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Name	Type	Exposure route	exp. frequency	Remark	Value
cyclohexanone	Worker	dermal	long term systemic effects	/	4 mg/kg bw/day
cyclohexanone	Worker	dermal	short term systemic effects	/	4 mg/kg bw/day
cyclohexanone	Consumer	inhalation	long term systemic effects	/	10 mg/m ³
cyclohexanone	Consumer	inhalation	short term systemic effects	/	20 mg/m ³
cyclohexanone	Consumer	inhalation	long term local effects	/	20 mg/m ³
cyclohexanone	Consumer	inhalation	short term local effects	/	40 mg/m ³
cyclohexanone	Consumer	dermal	long term systemic effects	/	1 mg/kg bw/day
cyclohexanone	Consumer	dermal	short term systemic effects	/	1 mg/kg bw/day
cyclohexanone	Consumer	oral	long term systemic effects	/	1.5 mg/kg bw/day
cyclohexanone	Consumer	oral	short term systemic effects	/	1.5 mg/kg bw/day
n-butyl acetate	Worker	inhalation	long term systemic effects	/	300 mg/m ³
n-butyl acetate	Worker	inhalation	short term systemic effects	/	600 mg/m ³
n-butyl acetate	Worker	inhalation	long term local effects	/	300 mg/m ³
n-butyl acetate	Worker	inhalation	short term local effects	/	600 mg/m ³
n-butyl acetate	Worker	dermal	long term systemic effects	/	11 mg/kg bw/day
n-butyl acetate	Worker	dermal	short term systemic effects	/	11 mg/kg bw/day
n-butyl acetate	Consumer	inhalation	long term systemic effects	/	35.7 mg/m ³
n-butyl acetate	Consumer	inhalation	short term systemic effects	/	300 mg/m ³
n-butyl acetate	Consumer	inhalation	long term local effects	/	35.7 mg/m ³
n-butyl acetate	Consumer	inhalation	short term local effects	/	300 mg/m ³

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Name	Type	Exposure route	exp. frequency	Remark	Value
n-butyl acetate	Consumer	dermal	long term systemic effects	/	6 mg/kg bw/day
n-butyl acetate	Consumer	dermal	short term systemic effects	/	6 mg/kg bw/day
n-butyl acetate	Consumer	oral	long term systemic effects	/	2 mg/kg bw/day
n-butyl acetate	Consumer	oral	short term systemic effects	/	2 mg/kg bw/day
methyl amyl ketone	Worker	inhalation	long term systemic effects	/	394.25 mg/m ³
methyl amyl ketone	Worker	inhalation	short term systemic effects	/	1516 mg/m ³
methyl amyl ketone	Worker	dermal	long term systemic effects	/	54.27 mg/kg bw/day
methyl amyl ketone	Consumer	inhalation	long term systemic effects	/	84.31 mg/m ³
methyl amyl ketone	Consumer	dermal	long term systemic effects	/	23.32 mg/kg bw/day
methyl amyl ketone	Consumer	oral	long term systemic effects	/	23.32 mg/kg bw/day

PNEC values

For product

No information.

For components

Name	Exposure route	Remark	Value
dimethyl ether	fresh water	/	0.155 mg/L
dimethyl ether	water, intermittent release	/	1.549 mg/L
dimethyl ether	marine water	/	0.016 mg/L
dimethyl ether	water treatment plant	/	160 mg/L
dimethyl ether	fresh water sediment	dry weight	0.681 mg/kg
dimethyl ether	marine water sediment	dry weight	0.069 mg/kg
dimethyl ether	soil	dry weight	0.045 mg/kg
ethyl acetate	fresh water	/	0.24 mg/L
ethyl acetate	water, intermittent release	/	1.65 mg/L
ethyl acetate	marine water	/	0.024 mg/L
ethyl acetate	water treatment plant	/	650 mg/L
ethyl acetate	fresh water sediment	dry weight	1.15 mg/kg

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Name	Exposure route	Remark	Value
ethyl acetate	marine water sediment	dry weight	0.115 mg/kg
ethyl acetate	soil	dry weight	0.148 mg/kg
ethyl acetate	secondary poisoning	food	0.2 g/kg
cyclohexanone	fresh water	/	0.033 mg/L
cyclohexanone	water, intermittent release	/	0.329 mg/L
cyclohexanone	marine water	/	0.003 mg/L
cyclohexanone	water treatment plant	/	10 mg/L
cyclohexanone	fresh water sediment	dry weight	0.249 mg/kg
cyclohexanone	marine water sediment	dry weight	0.025 mg/kg
cyclohexanone	soil	dry weight	0.03 mg/kg
n-butyl acetate	fresh water	/	0.18 mg/L
n-butyl acetate	water, intermittent release	/	0.36 mg/L
n-butyl acetate	marine water	/	0.018 mg/L
n-butyl acetate	water treatment plant	/	35.6 mg/L
n-butyl acetate	fresh water sediment	dry weight	0.981 mg/kg
n-butyl acetate	marine water sediment	dry weight	0.098 mg/kg
n-butyl acetate	soil	dry weight	0.09 mg/kg
methyl amyl ketone	fresh water	/	0.098 mg/L
methyl amyl ketone	water, intermittent release	/	0.982 mg/L
methyl amyl ketone	marine water	/	0.01 mg/L
methyl amyl ketone	water treatment plant	/	12.5 mg/L
methyl amyl ketone	fresh water sediment	dry weight	1.89 mg/kg
methyl amyl ketone	marine water sediment	dry weight	0.189 mg/kg
methyl amyl ketone	soil	dry weight	0.321 mg/kg

8.2 Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Personal protective equipment

Eye and face protection

Safety glasses with side protection (BS EN ISO 16321-1:2022).

Hand protection

Protective gloves (EN ISO 374-1:2016). In case of prolonged exposure, wear protective gloves (BS EN ISO 374).

Appropriate materials

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345:2022).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

Thermal hazards

No information.

Environmental exposure controls

Substance/mixture related measures to prevent exposure

No information.

Instruction measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

No information.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Important health, safety and environmental information

Physical state	gas
Shape	aerosol
Colour	colourless
Odour	No information.
Odour threshold	No information.
Melting/freezing point or softening point	No information.
Boiling point or initial boiling point and boiling range	24.9 °C
Flammability	235 °C
Lower and upper explosion limit	3 % v/v 18.6 % v/v
Flash point	not applicable
Auto-ignition temperature	No information.
Decomposition temperature	No information.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

pH	Substance/mixture is non-soluble (in water). Does not apply
Viscosity	No information.
Solubility	No information.
Partition coefficient n-octanol/water (log value)	No information.
Vapour pressure	3400 hPa
Density	0.77 kg/L
Relative vapour density	Heavier than air; Air = 1
Particle characteristics	No information.

9.2 Other information

Information with regard to physical hazard classes

No information.

Other safety characteristics

Weight organic solvents

752 g/l

752 g/l (VOC (CH))

Other information

Product is not explosive.

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

No information.

10.2 Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3 Possibility of hazardous reactions

No information.

10.4 Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5 Incompatible materials

No information.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity

For components

Name	Exposure route	Type	Species	Time	Value	Method	Remark
dimethyl ether	inhalation	LC ₅₀	rat	4 h	308 mg/m ³	/	/
ethyl acetate	oral	LD ₅₀	rabbit	/	4935 mg/kg	/	/
ethyl acetate	inhalation	LC ₅₀	rat	4 h	1600 mg/l	/	/
cyclohexanone	oral	LD ₅₀	rat	/	1535 mg/kg	/	/
cyclohexanone	dermal	LD ₅₀	rabbit	/	948 mg/kg	/	/
cyclohexanone	inhalation	LC ₅₀	rat	4 h	8000 mg/l	/	/
n-butyl acetate	dermal	LD ₅₀	rabbit	/	5000 mg/kg	/	/
n-butyl acetate	inhalation	LC ₅₀	rat	4 h	9.6 - 29.2 mg/l	/	dust/aerosol
n-butyl acetate	oral	LD ₅₀	rat	/	4700 mg/kg	/	/
methyl amyl ketone	dermal	LD ₅₀	rabbit	/	12600 mg/kg	/	/
methyl amyl ketone	oral	LD ₅₀	rat	/	1670 mg/kg	/	/

(b) Skin corrosion/irritation

No information.

(c) Serious eye damage/irritation

No information.

(d) Respiratory or skin sensitisation

No information.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

No information.

(h) STOT-single exposure

No information.

(i) STOT-repeated exposure

No information.

(j) Aspiration hazard

No information.

Symptoms related to the physical, chemical and toxicological characteristics

No information.

Interactive effects

No information.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

Other information

No information.

Section 12: Ecological information

12.1 Toxicity

Acute (short-term) toxicity

For components

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
dimethyl ether	EC ₅₀	> 4000 mg/L	48 h	crustacea	<i>Daphnia magna</i>	/	/
cyclohexanone	LC ₅₀	32.9 mg/L	/	algae	/	/	/
cyclohexanone	LC ₅₀	180 mg/L	/	bacteria	/	/	/
cyclohexanone	LC ₅₀	820 mg/L	/	daphnia	/	/	/
n-butyl acetate	LC ₅₀	18 mg/L	96 h	fish	/	/	/
n-butyl acetate	EC ₅₀	44 mg/L	48 h	crustacea	/	/	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
n-butyl acetate	EC ₅₀	675 mg/L	72 h	algae	/	/	/
methyl amyl ketone	LC ₅₀	131 - 137 mg/L	96 h	fish	/	/	/

Chronic (long-term) toxicity

No information.

12.2 Persistence and degradability

Abiotic degradation, physical- and photo-chemical elimination

No information.

Biodegradation

No information.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)

No information.

Bioconcentration factor (BCF)

No information.

12.4 Mobility in soil

Known or predicted distribution to environmental compartments

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

12.5 Results of PBT and vPvB assessment

No evaluation.

12.6 Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

12.7 Other adverse effects

No information.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

12.8 Additional information

No information.

Section 13: Disposal considerations

13.1 Waste treatment methods

Product / Packaging disposal

Waste chemical

Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

Waste codes / waste designations according to LoW

No information.

Packaging

Deliver completely emptied containers to approved waste disposal authorities.

Waste codes / waste designations according to LoW

No information.

Waste treatment-relevant information

No information.





Sewage disposal-relevant information

No information.

Other disposal recommendations

No information.

Section 14: Transport information

ADR/RID	IMDG	IATA	ADN
14.1 UN number or ID number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name			
AEROSOLS	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class(es)			
2	2	2	2
			
14.4 Packing group			

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

ADR/RID	IMDG	IATA	ADN
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.5 Environmental hazards			
NO	NO	NO	NO
14.6 Special precautions for user			
Limited quantities 1 L Special provisions 190, 327, 344, 625 Packing Instructions P207, LP200 Special packing provisions PP87, RR6, L2 Transport category 2 Tunnel restriction code (D) Classification code 5F	Limited quantities 1 L EmS F-D, S-U Flash point 922337203685477580 7 °C	Limited Quantity, Packing Instructions (Ltd Qty, Pkg Inst) Y203 Limited Quantity, Maximum Net Quantity/Package (Ltd Qty, Max Net Qty/Pkg) 30 kg G Packing Instructions (Pkg Inst) 203 Maximum Net Quantity/Package (Max Net Qty/Pkg) 25 kg Special provisions A145, A167, A802	Limited quantities 1 L
14.7 Maritime transport in bulk according to IMO instruments			
	Goods may not be carried in bulk in bulk containers, containers or vehicles.		

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

not applicable

Ingredients according to Regulation (EC) No 648/2004 on detergents

No information.

Special instructions

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: Other information

Indication of changes

No information.

Key literature references and sources for data

No information.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWG - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**

GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCILID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No 1907/2006)
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.
EUH066 Repeated exposure may cause skin dryness or cracking.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **6075 Fade-Thinner Spray**

Creation date: **23.08.2023**, Revision: **01.04.2025**, Version: **3.7**