

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name

4400-0,5

UFI:

NM90-90T5-M00F-XK2C



<https://my.chemius.net/p/99FMNM/en/pd/en>

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Lubricant.

Uses advised against

No information.

1.3 Details of the supplier of the safety data sheet

Manufacturer

SILCO, D.O.O.
Šentrupert 5 a
3303 Gomilsko, Slovenia
+386 3 703 3180
msds@silco.si

1.4 Emergency Telephone Number

Emergency

111

Manufacturer

+386 3 703 3180

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222 Extremely flammable aerosol.

Aerosol 1; H229 Pressurised container: May burst if heated.

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

Skin Irrit. 2; H315 Causes skin irritation.

STOT SE 3; H336 May cause drowsiness or dizziness.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)



Signal word: DANGER

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

P302 + P352 + P362 + P364 IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/container in accordance with local/national regulation.

Contains:

hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

2.3 Other hazards

PBT/vPvB

No information.

Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

Additional information

No information.

Section 3: Composition/information on ingredients

3.1 Substances

For mixtures see 3.2.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

3.2 Mixtures

Name	CAS EC Index REACH	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Concentration Limits
distillates (petroleum), dewaxed light paraffinic, hydro treated	91995-40-3 295-301-9 649-494-00-5 01-2119488517-24	<50	Asp. Tox. 1; H304	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	94733-15-0 305-594-8 649-506-00-9 01-2119486987-11	<50	Asp. Tox. 1; H304	/
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27	10-25	Flam. Gas 1; H220 Press. Gas; H280	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	CAS EC Index REACH	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Concentration Limits
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	- 918-481-9 - 01-2119457273-39	2,5-25	Asp. Tox. 1; H304	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0 927-510-4 - 01-2119475515-33	10-25	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411	/
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21	10-25	Flam. Gas 1; H220 Press. Gas; H280	/
n-hexane	110-54-3 203-777-6 601-037-00-0	<1	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Repr. 2; H361f STOT RE 2; H373 Aquatic Chronic 2; H411	STOT RE 2; H373; C ≥ 5%

Notes for substances

C Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

S This substance may not require a label according to Article 17 (see Section 1.3 of Annex I) (Table 3).

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

- U** When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:
Press. Gas (Comp.)
Press. Gas (Liq.)
Press. Gas (Ref. Liq.)
Press. Gas (Diss.)
Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
-

Product description

Hydrocarbons with a propellant.

Section 4: First aid measures

4.1 Description of first aid measures

General notes

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. No action shall be taken involving any personal risk or without suitable training.

Following inhalation

If symptoms occur, seek medical advice. Leave contaminated area - breathe fresh air. Keep at rest in a position comfortable for breathing. If breathing is irregular or respiratory arrest occurs provide artificial respiration. In case of unconsciousness bring patient into stable side position and seek medical attention.

Following skin contact

Take off all contaminated clothing. Wash affected skin areas immediately with plenty of water and soap. If symptoms develop and persist, seek medical attention. Wash contaminated clothes and shoes before reuse.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Not likely. Accidental ingestion: Do not induce vomiting! Immediately consult a doctor. Show the physician the safety data sheet or label. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation

Vapours may cause drowsiness and dizziness. Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation. Coughing, sneezing, nasal discharge, labored breathing.

Following skin contact

Irritating to the skin. Itching, redness, pain. Repeated exposure may cause dry skin or cracked skin.

Following eye contact

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Contact with eyes can cause irritation (redness, tearing, pain).

Following ingestion

Ingestion is unlikely because it is an aerosol. Accidental ingestion: May cause nausea/vomiting and diarrhea. May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke. In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO₂). Hydrocarbons. Soot.

5.3 Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area. Vapours can form explosive mixtures with air. In case of fire aerosols can explode and be propelled to considerable distances in different directions.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (BS EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (BS EN 137).

Additional information

Contaminated extinguishing agents must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

Emergency procedures

Prevent access to unauthorised personnel. Prevent access to unprotected personnel. Avoid contact with skin and eyes. Do not breathe vapour or mist.

For emergency responders

Use personal protective equipment.

6.2 Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Stem the spill if this does not pose risks.

For cleaning up

Collect the spray cans and hand them over to an authorized waste disposal contractor. Release of liquid because of damaged aerosol can (release of large quantities): Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Do not absorb spillage with sawdust or other combustible material. Dispose in accordance with applicable regulations (see Section 13). Clean residue from spill site.

Other information

See Section 7: HANDLING AND STORAGE.

6.4 Reference to other sections

See also sections 8 and 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Measures to prevent fire

Ensure adequate ventilation. Take precautionary measures against static discharges. Keep away from sources of ignition - no smoking. Use spark-proof tools. Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or incandescent material.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Avoid release to the environment.

Other measures

No information.

Advice on general occupational hygiene

Wear suitable protective equipment; see Section 8. Refer to instructions on label and regulations for safety and health at work. Use good personal hygiene practices – wash hands

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

at breaks and when done working with material. Avoid contact with skin, eyes and clothes. Do not eat, drink or smoke while working. Do not breathe vapours/mist. Consider measures required in Section 8 of this safety data sheet.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Store in accordance with local regulations. Keep in well closed containers. Keep in cool and well ventilated area. Protect from open fire, heat and direct sunlight. Keep away from sources of ignition. Keep away from oxidising substances. Keep away from food, drink and animal feeding stuffs.

Packaging materials

The original container of producer.

Requirements for storage rooms and vessels

Do not store in unlabelled containers.

Storage temperature

No information.

Storage class

No information.

Further information on storage conditions

No information.

7.3 Specific end use(s)

Recommendations

No information.

Industrial sector specific solutions

No information.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

Name	mg/m ³	ml/m ³	Short-term value mg/m ³	Short-term value ml/m ³	Remark	Biological Tolerance Values
n-Hexane (110-54-3)	72	20	/	/	/	/

Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

DNEL/DMEL values

For product

No information.

For components

Name	Type	Exposure route	exp. frequency	Remark	Value
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	Worker	inhalation	long term systemic effects	/	2.7 mg/m ³
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	Worker	inhalation	long term local effects	/	5.6 mg/m ³
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	Worker	dermal	long term systemic effects	/	1 mg/kg bw/day
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	Consumer	oral	long term systemic effects	/	0.74 mg/kg bw/day
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Worker	inhalation	long term systemic effects	/	2085 mg/m ³
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Worker	dermal	long term systemic effects	/	300 mg/kg bw/day
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Consumer	inhalation	long term systemic effects	/	447 mg/m ³

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Type	Exposure route	exp. frequency	Remark	Value
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Consumer	dermal	long term systemic effects	/	149 mg/kg bw/day
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Consumer	oral	long term systemic effects	/	149 mg/kg bw/day

PNEC values

For product

No information.

For components

Name	Exposure route	Remark	Value
distillates (petroleum), dewaxed light paraffinic, hydrotreated	food chain	oral	9.33 mg/kg
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	food chain	oral	9.33 mg/kg

8.2 Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes. Do not breathe vapours/aerosols. Keep away from foodstuffs, beverages and feed. Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

If this product contains ingredients with exposure limits, personal, workplace atmosphere monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protection.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

Personal protective equipment

Eye and face protection

If there is risk of splashing into eyes, wear safety glasses with side shields (BS EN ISO 16321-1:2022).

Hand protection

Protective gloves (EN ISO 374-1:2016).

Appropriate materials

Skin protection

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: 4400-0,5

Creation date: 18.11.2020, Revision: 18.02.2025, Version: 1.4

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345:2022).

Respiratory protection

Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

Thermal hazards

No information.

Environmental exposure controls

Substance/mixture related measures to prevent exposure

No information.

Instruction measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

Prevent release into the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Important health, safety and environmental information

Physical state	liquid
Shape	aerosol
Colour	yellow to brown
Odour	No information.
Odour threshold	No information.
Melting/freezing point or softening point	No information.
Boiling point or initial boiling point and boiling range	No information.
Flammability	No information.
Lower and upper explosion limit	1.5 – 10.9 % v/v
Flash point	not applicable
Auto-ignition temperature	No information.
Decomposition temperature	No information.
pH	No information.
Viscosity	No information.
Solubility	No information.
Partition coefficient n-octanol/water (log value)	No information.
Vapour pressure	ca. 3 hPa
Density	0.7825 – 0.7958 g/cm ³

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Relative vapour/gas density	No information.
------------------------------------	-----------------

Particle characteristics	No information.
---------------------------------	-----------------

9.2 Other information

Information with regard to physical hazard classes

No information.

Other safety characteristics

Weight organic solvents	489 g/l (VOC) 71 % (VOC)
--------------------------------	-----------------------------

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3 Possibility of hazardous reactions

The product is stable under recommended storage and handling conditions.

10.4 Conditions to avoid

Avoid all possible sources of ignition (spark or flame). Do not expose to heat and direct sunlight.

10.5 Incompatible materials

Oxidants.

10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

For components

Name	Exposure route	Type	Species	Time	Value	Method	Remark
distillates (petroleum), dewaxed light paraffinic, hydrotreated	oral	LD ₅₀	rat	/	> 5000 mg/kg bw	/	/
distillates (petroleum), dewaxed light paraffinic, hydrotreated	dermal	LD ₅₀	rabbit	/	> 2000 mg/kg bw	/	/
distillates (petroleum), dewaxed light paraffinic, hydrotreated	inhalation	LC ₅₀	rat	4 h	> 5.53 mg/l	/	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	oral	LD ₅₀	rat	/	> 5000 mg/kg bw	/	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	dermal	LD ₅₀	rabbit	/	> 2000 mg/kg bw	/	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Exposure route	Type	Species	Time	Value	Method	Remark
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	inhalation	LC ₅₀	rat	4 h	> 5.53 mg/l	/	/
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	oral	LD ₅₀	rat	/	> - 5000 mg/kg	/	Test conducted with a similar formulation.
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	inhalation (vapours)	LC ₅₀	rat	/	> - 4.951 mg/l	OECD 403	Test conducted with a similar formulation.
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	dermal	LD ₅₀	rabbit	/	> - 5000 mg/kg	OECD 402	Test conducted with a similar formulation.
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	dermal	LD ₅₀	rat	24 h	> 2920 mg/kg	/	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	inhalation (vapours)	LC ₅₀	rat	4 h	> 23300 mg/m ³	/	OECD 403

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Exposure route	Type	Species	Time	Value	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	oral	LD ₅₀	rat	/	> 5840 mg/kg	/	/

(b) Skin corrosion/irritation

No information.

Additional information

Causes skin irritation.

(c) Serious eye damage/irritation

No information.

(d) Respiratory or skin sensitisation

No information.

(e) (Germ cell) mutagenicity

For components

Name	Type	Species	Time	result	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Genotoxicity	/	/	Negative.	/	/

(f) Carcinogenicity

For components

Name	Exposure route	Type	Species	Time	Value	result	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	/	/	/	/	/	Substance is not classified as carcinogenic.	/	/

(g) Reproductive toxicity

For components

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Reproductive toxicity type	Type	Species	Time	Value	result	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Reproductive toxicity	-	rat	/	/	The results of animal studies gave no indication of a fertility impairing effect.	/	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Developmental toxicity	/	rat	/	/	Did not show teratogenic effects in animal experiments.	/	/
n-hexane	Reproductive toxicity	-	/	/	/	Suspected of damaging fertility.	/	/

Summary of evaluation of the CMR properties

No information.

(h) STOT-single exposure

For components

Name	Exposure route	Type	Species	Time	Exposure	organ	Value	result	Method	Remarks
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	inhalation	-	/	/	/	/	/	May cause effects on the central nervous system.	/	high concentrations

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Exposure route	Type	Species	Time	Exposure	organ	Value	result	Method	Rem
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	inhalation	-	/	/	/	/	/	Symptoms: nausea, unconsciousness.	/	high concentrations
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	inhalation	-	/	/	/	/	/	Symptoms: mucous membrane irritation.	/	high concentrations
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	inhalation	-	/	/	/	/	/	May cause respiratory irritation.	/	high concentrations
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	oral	-	/	/	/	/	/	May cause irritation of the digestive tract.	/	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Exposure route	Type	Species	Time	Exposure	organ	Value	result	Method	Rem
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	-	/	/	/	/	/	May cause drowsiness or dizziness.	/	/

Additional information

May cause drowsiness or dizziness.

(i) STOT-repeated exposure

No information.

Additional information

Repeated exposure may cause skin dryness or cracking.

(j) Aspiration hazard

For components

Name	result	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	Aspiration into the lungs can cause lung damage.	/	The exposed person should be kept under medical surveillance for 48 hours.
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	May be fatal if swallowed and enters airways.	/	/

Additional information

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

No information.

Interactive effects

No information.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

Other information

No information.

Section 12: Ecological information

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

12.1 Toxicity

Acute (short-term) toxicity

For components

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
distillates (petroleum), dewaxed light paraffinic, hydrotreated	LC ₅₀	> 100 mg/L	/	fish	/	/	/
distillates (petroleum), dewaxed light paraffinic, hydrotreated	EC ₅₀	> 100 mg/L	/	<i>Daphnia</i>	/	/	/
distillates (petroleum), dewaxed light paraffinic, hydrotreated	EC ₅₀	> 100 mg/L	/	other aquatic organisms	/	/	/
distillates (petroleum), dewaxed light paraffinic, hydrotreated	TLm	> 1 mg/L	/	other aquatic organisms	/	/	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	LC ₅₀	> 100 mg/L	/	fish	/	/	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	EC ₅₀	> 100 mg/L	/	<i>Daphnia</i>	/	/	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	EC ₅₀	> 100 mg/L	/	other aquatic organisms	/	/	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	TLm	> 1 mg/L	/	other aquatic organisms	/	/	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006



Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LL ₀	- 1000 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	/	/
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EL ₀	- 1000 mg/L	48 h	crustacea	<i>Daphnia magna</i>	/	/
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EL ₀	- 1000 mg/L	72 h	algae	<i>Pseudokirchneriella subcapitata</i>	/	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	ErL ₅₀	10 - 30 mg/L	72 h	algae	<i>Pseudokirchneriella subcapitata</i>	OECD 201	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EbL ₅₀	10 - 30 mg/L	72 h	algae	<i>Pseudokirchneriella subcapitata</i>	OECD 201	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EL ₅₀	3 mg/L	48 h	crustacea	<i>Daphnia magna</i>	OECD 202	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	LL ₅₀	> 13.4 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	OECD 203	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	NOELR	6.3 mg/L	72 h	<i>Pseudokirchneriella subcapitata</i>	/	OECD 201	/

Chronic (long-term) toxicity

For components

Name	Type	Value	Exposure time	Species	Organism	Method	Remark
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	NOELR	1 mg/l	21 days	crustacea	<i>Daphnia magna</i>	OECD 211	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	NOELR	1.53 mg/l	28 days	fish	<i>Oncorhynchus mykiss</i>	/	QSAR Petroto

12.2 Persistence and degradability

Abiotic degradation, physical- and photo-chemical elimination

For components

Name	Environment	Type / Method	Half Time	Evaluation	Method	Remark
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Air	/	/	Photolysis not expected	/	/

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Name	Environment	Type / Method	Half Time	Evaluation	Method	Remark
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	water	hydrolysis	/	not expected	/	/

Biodegradation

For components

Name	Type	Rate	Time	Evaluation	Method	Remark
hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	biodegradability	- 80 %	28 days	readily biodegradable	/	/
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	biodegradability	98 %	28 days	readily biodegradable	OECD 301F	/

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)

For components

Name	Value	Temperature °C	pH	Concentration	Method
distillates (petroleum), dewaxed light paraffinic, hydrotreated	> 6	/	/	/	/
Lubricating oils (petroleum), C18-40, solvent-dewaxed hydrocracked distillate-based	> 6	/	/	/	/

Bioconcentration factor (BCF)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

No information.

12.4 Mobility in soil

Known or predicted distribution to environmental compartments

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

12.5 Results of PBT and vPvB assessment

No evaluation.

12.6 Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

12.7 Other adverse effects

No information.

12.8 Additional information

For product

Harmful to aquatic life with long lasting effects. Water hazard class (WGK): 3 (Self-assessment), very hazardous for water. Avoid release to the environment.

Section 13: Disposal considerations

13.1 Waste treatment methods

Product / Packaging disposal

Waste chemical

Avoid release to the environment. Product and container must be disposed of safely. Dispose of in accordance with applicable waste disposal regulation. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste.

Waste codes / waste designations according to LoW

16 05 04* - gases in pressure containers (including halons) containing dangerous substances

Packaging

Uncleaned containers should not be perforated, cut or welded. Pressurized container. Do not pierce or burn, even after use. Dispose of in accordance with applicable waste disposal regulation. Deliver completely emptied containers to approved waste disposal authorities.

Waste codes / waste designations according to LoW

15 01 11* - metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

Waste treatment-relevant information

No information.





Sewage disposal-relevant information

No information.

Other disposal recommendations

No information.

Section 14: Transport information

ADR/RID	IMDG	IATA	ADN
14.1 UN number or ID number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name			
AEROSOLS	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class(es)			
2	2	2	2
			
14.4 Packing group			
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.5 Environmental hazards			
NO	NO	NO	NO
14.6 Special precautions for user			

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

ADR/RID	IMDG	IATA	ADN
Limited quantities 1 L Special provisions 190, 327, 344, 625 Packing Instructions P207, LP200 Special packing provisions PP87, RR6, L2 Transport category 2 Tunnel restriction code (D) Classification code 5F	Limited quantities 1 L EmS F-D, S-U Flash point 922337203685477580 7 °C	Limited Quantity, Packing Instructions (Ltd Qty, Pkg Inst) Y203 Limited Quantity, Maximum Net Quantity/Package (Ltd Qty, Max Net Qty/Pkg) 30 kg G Packing Instructions (Pkg Inst) 203 Maximum Net Quantity/Package (Max Net Qty/Pkg) 25 kg Special provisions A145, A167, A802	Limited quantities 1 L
14.7 Maritime transport in bulk according to IMO instruments	Goods may not be carried in bulk in bulk containers, containers or vehicles.		

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)(including last amendment Commission Regulation (EU) 2020/878)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

not applicable

Ingredients according to Regulation (EC) No 648/2004 on detergents

> 30%: aliphatic hydrocarbons; perfumes (Coumarin)

Special instructions

No information.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: Other information

Indication of changes

No information.

Key literature references and sources for data

No information.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN - European Committee for Standardisation
C&L - Classification and Labelling
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS# - Chemical Abstracts Service number
CMR - Carcinogen, Mutagen, or Reproductive Toxicant
CSA - Chemical Safety Assessment
CSR - Chemical Safety Report
DMEL - Derived Minimal Effect Level
DNEL - Derived No Effect Level
DPD - Dangerous Preparations Directive 1999/45/EC
DSD - Dangerous Substances Directive 67/548/EEC
DU - Downstream User
EC - European Community
ECHA - European Chemicals Agency
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
EN - European Standard
EQS - Environmental Quality Standard
EU - European Union
Euphrac - European Phrase Catalogue
EWC - European Waste Catalogue (replaced by LoW - see below)
GES - Generic Exposure Scenario
GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCLID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**

LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals (Regulation (EC) No 1907/2006)
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H361f Suspected of damaging fertility.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006

silco

Product name: **4400-0,5**

Creation date: **18.11.2020**, Revision: **18.02.2025**, Version: **1.4**



- ✓ Provided correct labelling of the product
- ✓ Compliance with the local legislation
- ✓ Provided correct classification of the product
- ✓ Provided adequate transport data

© [BENS Consulting](https://www.bens-consulting.com) | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.